

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1.9
P69 Bam

MAPS ILLUSTRATING THE PROGRESS OF THE BARBERRY ERADICATION CAMPAIGN

- Figure 1. Map showing areas covered in original survey and second complete survey from January 1 to December 31, 1923.
- Figure 2. Map showing properties on which barberry bushes were found in second complete survey and resurvey from January 1 to December 31, 1923.
- Figure 3. Map showing properties on which barberry bushes, seedlings and sprouting bushes were found in all surveys in the Barberry Eradication Campaign from January 1 to December 31, 1923.
- Figure 4. Map showing progress of the barberry eradication campaign, original survey from April 1, 1918 to December 31, 1923, inclusive.
- 527
- Figure 5. Map showing Rural Properties on which barberry bushes were found in the barberry eradication campaign, from April 1, 1918 to December 31, 1923, inclusive.

Data showing by six month periods, and by calendar years the numbers of properties upon which barberry bushes were found, the properties cleared of barberries, bushes found and destroyed, the seedlings and sprouting bushes found and destroyed and the grand total of bushes, seedlings and sprouting bushes found and destroyed April 1, 1918 to December 31, 1923.

Half Years and Calendar Years	Properties		Bushes	
	Found	Cleared	Found	Destroyed
<u>1918</u>				
April 1 to June 30	Data for this period included under July 1 to Dec. 31, 1918.			
July 1 to Dec. 31	23,210	16,764	1,842,239	1,690,475
April 1 to Dec. 31	23,210	16,764	1,842,239	1,690,475
<u>1919</u>				
Jan. 1 to June 30	7,915	4,909	133,677	82,770
July 1 to Dec. 31	10,800	11,939	1,962,386	1,942,619
Jan. 1 to Dec. 31	18,715	16,848	2,096,063	2,025,389
<u>1920</u>				
Jan. 1 to June 30	703	2,168	10,982	67,853
July 1 to Dec. 31	2,225	3,467	1,495,025	450,462
Jan. 1 to Dec. 31	2,928	5,635	1,506,007	518,315
<u>1921</u>				
Jan. 1 to June 30	1,404	2,539	29,729	54,022
July 1 to Dec. 31	3,669	3,798	145,933	155,625
Jan. 1 to Dec. 31	5,073	6,337	175,662	209,647
<u>1922</u>				
Jan. 1 to June 30	361	793	5,318	14,512
July 1 to Dec. 31	5,557	5,615	204,079	715,209
Jan. 1 to Dec. 31	5,918	6,408	209,397	729,721
<u>1923</u>				
Jan. 1 to June 30	903	1,173	18,611	23,221
July 1 to Dec. 31	6,468	8,010	214,550	227,792
Jan. 1 to Dec. 31	7,371	9,183	233,161	251,013
<u>1918-1923</u>				
Total, April 1, 1918 to Dec. 31, 1923	63,215	61,175	6,062,529	5,424,560
Seedlings			3,759,371	3,704,471
Sprouting bushes			251,767	250,743
Grand total, bushes, seedlings, and sprouting bushes, April 1, 1918 to December 31, 1923.			10,073,667	9,379,774

Data showing by six months periods, and by fiscal years the numbers of properties upon which barberry bushes were found, the properties cleared of barberries, bushes found and destroyed, the seedlings and sprouting bushes found and destroyed and the grand total of bushes, seedlings and sprouting bushes found and destroyed April 1, 1918 to December 31, 1923.

Half Years and Fiscal Years	Properties		Bushes	
	Found	Cleared	Found	Destroyed
<u>1918</u>	:	:	:	:
April 1 to June 30, 1918	Data for this period included under July 1 to Dec. 31, 1918.			
<u>1919</u>	:	:	:	:
July 1 to Dec. 31, 1918	23,210	16,764	1,842,239	1,690,475
Jan. 1 to June 30, 1919	<u>7,915</u>	<u>4,909</u>	<u>135,677</u>	<u>82,770</u>
July 1, 1918 to June 30, 1919	31,125	21,673	1,977,916	1,773,245
<u>1920</u>	:	:	:	:
July 1 to Dec. 31, 1919	10,800	11,939	1,962,386	1,942,619
Jan. 1 to June 30, 1920	<u>703</u>	<u>2,168</u>	<u>10,982</u>	<u>67,853</u>
July 1, 1919 to June 30, 1920	11,503	14,107	1,973,368	2,010,472
<u>1921</u>	:	:	:	:
July 1 to Dec. 31, 1920	2,225	3,467	1,495,025	450,462
Jan. 1 to June 30, 1921	<u>1,404</u>	<u>2,539</u>	<u>22,729</u>	<u>54,022</u>
July 1, 1920 to June 30, 1921	3,629	6,006	1,524,754	504,484
<u>1922</u>	:	:	:	:
July 1 to Dec. 31, 1921	3,669	3,798	146,933	155,625
Jan. 1 to June 30, 1922	<u>361</u>	<u>793</u>	<u>5,318</u>	<u>14,512</u>
July 1, 1921 to June 30, 1922	4,030	4,591	151,251	170,137
<u>1923</u>	:	:	:	:
July 1 to Dec. 31, 1922	5,557	5,615	204,079	715,209
Jan. 1 to June 30, 1923	<u>903</u>	<u>1,173</u>	<u>18,611</u>	<u>23,221</u>
July 1, 1922 to June 30, 1923	6,460	6,788	222,690	738,430
<u>1924</u>	:	:	:	:
July 1 to Dec. 31, 1923	6,468	8,010	214,580	227,792
<u>1918-1923</u>	:	:	:	:
Total, April 1, 1918 to Dec. 31, 1923	63,215	61,175	6,062,529	5,424,560
Seedlings	:	:	3,759,371	3,704,471
Sprouting bushes	:	:	<u>257,267</u>	<u>250,743</u>
Grand total of bushes, seedlings and sprouting bushes, April 1, 1918 to December 31, 1923.	:	:	10,079,167	9,379,774

